VOL. 106, Nos. 1–2 FLUID PHASE EQUILIBRIA MAY 1st 1995

CONTENTS

(Abstracted/Indexed in: Curr. Contents/Eng. Technol. Appl. Sci. Curr. Contents/Phys. Chem. Earth Sci., Sci. Cit. Index, Phys. Abstr., ASCA, Geo Abstracts, GEOBASE)

Theoretical papers

Methods to predict the vaporization enthalpies at the normal boiling temperature of pure compounds revisited
Alessandro Vetere (Milan, Italy) 1–10

Derivation of Wilson equation for G^E from association models
M. Góral (Warsaw, Poland) 11–16

On the calculation of phase equilibria in aqueous two-phase systems containing ionic solutes
C. Großmann and G. Maurer (Kaiserlautern, Germany) 17–25

Fundamental thermodynamic surfaces for alkanol–alkane binary mixtures by the NRTL model
Y. Demirel (Dhahran, Saudi Arabia) 27–45

Application of the principle of corresponding states to orthobaric densities of organic and inorganic compounds
N. van Meurs (Amsterdam, The Netherlands) 47–57

Modifying the Peng Robinson equation for a homogeneous representation of pure fluid PVT properties
R. Solimando (Nancy Cédex, France), M. Rogalski (Metz, France), E. Neau and A. Péneloux (Marseille, France) 59–80

Accuracy of the volumetric predictions of some important equations of state for hydrocarbons, including a modified version of the Lee–Kesler method
J.-C. de Hemptinne and P. Ungerer (Rueil Malmaison Cedex, France) 81–110

Experimental papers

Aqueous two-phase systems of poly(ethylene glycol) and dextran — experimental results and modeling of thermodynamic properties
G. Großmann, R. Tintinger, J. Zhu and G. Maurer (Kaiserslautern, Germany) 111–138

Calorimetric measurement of the partial molar excess enthalpy at infinite dilution $\bar{h}_i^{E,\infty}$ and its meaning for the calculation of the concentration and temperature dependence of the molar excess enthalpy h^E
T. Pfeffer, B. Löwen, S. Schulz (Dortmund, Germany) 139–167

Liquid–liquid equilibria of some water + tetrahydrofurfuryl alcohol + solvent ternaries at 293.2 ± 0.1 K and 101.3 ± 0.8 kPa
A. Şenol and A.A. Sayar (Istanbul, Turkey) 169–183

Experimental determination of the spinodal P-T-x surface for the system 2-butoxyethanol/water using the 'PPICS' apparatus
P.A. Wells, Th.W. de Loos (Delft, The Netherlands) and L.A. Kleintjens (Geleen, The Netherlands) 185–202

Quaternary liquid–liquid equilibrium: water–acetic acid–2-butanone–cyclohexane at 25°C
V. Gomis, D. Prats, F. Ruiz, J.C. Asensi, F. Reus (Alicante, Spain) 203–211

High-pressure fluid-phase equilibria: experimental methods and systems investigated (1988–1993)
R. Dohrn and G. Brunner (Hamburg, Germany) 213–282

Announcement 283

Corrigendum 284

Subject Index 285

Author Index 286

0378-3812(19950501)106:1/2;1-3